

Mob.: 99452 38550 | 72595 94850



IMPACT TECHNOLOGIES

An ISO 9001: 2015 company


ಇಂಪ್ಯಾಕ್ಟ್ ಟೆಕ್ನಾಲಾಜೀಸ್

ಬೆಂಗಳೂರು

www.impacttechindia.com

ತಯಾರಕರು ಮತ್ತು ಪೂರೈಕೆದಾರರು

Milking Machine
1-8 Buckets



Vidhata Silopack Machine



Silage Bags
50kgs To 3000 Kgs



Cow Mat



Vidhata Harvester



Dung Cleaning Pump




Water Bowl



Vidhata Feed Mixer



Brush Cutter



Milk Cans



Chaff Cutter



Wheel Barrow



Avd Chaff Cutter
2hp



Goat Trays



Goat Feeding Tray



Calf Feeding Bottle



Cow Massaging Brush




Dip Solution



Hydroponic Trays



Water Sprinkler And Timers




Cow Lifter



Slurry Pump



Grass Removal Accessories



Azolla Bags



ಡೈರಿ ಹಾಗೂ ಕೃಷಿ ಸಂಬಂಧಿತ ಉತ್ಪನ್ನಗಳು ನಮ್ಮಲ್ಲಿ ಲಭ್ಯವಿರುತ್ತವೆ ಹೆಚ್ಚಿನ ವಿವರಗಳಿಗೆ ಸಂಪರ್ಕಿಸಿ

#724, EWS, 2nd Stage, Yelahanka New Town, Bangalore - 560064

Email : impacttechnologies.blr@gmail.com Web : www.impacttechindia.com

Office : 080 - 2856 2250



IMPACT TECHNOLOGIES

An ISO 9001: 2015 company

ಇಂಪ್ಯಾಕ್ಟ್ ಟೆಕ್ನಾಲಾಜೀಸ್
ಬೆಂಗಳೂರು

9945238550 / 7259594850 / 9997408448



ಯಂತ್ರದ ವೈಶಿಷ್ಟ್ಯಗಳು:

1. 3 ಇನ್ 1 ಯಂತ್ರವಾಗಿದೆ ಸೈಲೇಜ್ + ಹಸಿರುಮೇವು + ಒಣ ಮೇವು ಜೊತೆಗೆ ತ್ವರಿತ ಪ್ಯಾಕಿಂಗ್ ವ್ಯವಸ್ಥೆ.
2. ಸಾಮರ್ಥ್ಯ- 4 ಟನ್ ಪ್ರತಿ ಘಂಟೆಗೆ.
3. ಗುಣಮಟ್ಟದ ಸೈಲೇಜ್ ವರ್ಷವೆಲ್ಲಾ
4. ಕಾರ್ನ್ ಕ್ರಾಕಿಂಗ್ ತಂತ್ರಜ್ಞಾನ
5. ಜಾಹಿಂಗ್ ಸೈಜ್ 5mm/13mm
6. ಹೈಡ್ರಾಲಿಕ್ ಆಟೋಮ್ಯಾಟಿಕ್ ಒತ್ತುವಿಕೆ
7. ಒಂದು ಸ್ಥಳದಿಂದ ಮತ್ತೊಂದು ಸ್ಥಳಕ್ಕೆ ಸುಲಭವಾಗಿ ಜಲಸಬಹುದು
8. ಯಂತ್ರದ ಒಟ್ಟು ತೂಕ 1600 ಕೆ.ಜಿ
9. ಒಟ್ಟು ಬ್ಲೇಡ್‌ಗಳು-4
10. ಡ್ರಮ್‌ಗಳು-8
11. ಬೇಕಾಗಿರುವ ಟ್ರಾಕ್ಟರ್ ಕೆಪಾಸಿಟಿ 45Hp



Vidhata 8D Silopack

ಯಂತ್ರದ ವೈಶಿಷ್ಟ್ಯಗಳು:

1. ಸಾಮರ್ಥ್ಯ- 15-18 ಟನ್ ಪ್ರತಿ ಘಂಟೆಗೆ.
2. ಜಾಹಿಂಗ್ ಸೈಜ್ 2mm-36mm
3. ಒಟ್ಟು ಬ್ಲೇಡ್‌ಗಳು-12
4. ರೂಟರ್-1
5. ಯಂತ್ರದ ವಿಶೇಷತೆ-ಒಣಹುಲ್ಲು / ಹಸಿಹುಲ್ಲು
6. ಸಂಗ್ರಹಿಸುವ ಡ್ರಮ್‌ಗಳು-4
7. ಬೇಕಾಗಿರುವ ಟ್ರಾಕ್ಟರ್ ಕೆಪಾಸಿಟಿ-55J- 90Hp
8. RPM-1500



C JF 120 Chaff Cutter



JF 1000 Harvester

ಯಂತ್ರದ ವೈಶಿಷ್ಟ್ಯಗಳು:

1. ಪ್ರತ್ಯೇಕವಾಗಿ ಅವಳ ರೋಟರ್ ತಂತ್ರಜ್ಞಾನ ಜೊತೆಗೆ 4 ಮುಂಬಾಗದ ಡ್ರಮ್‌ಗಳು.
2. 2 ಮುಂಬಾಗ 2 ಹಿಂಬಾಗದ ಜೋಡಣೆ ಇನ್‌ಸೈಟ್ ಡ್ರೈವಿಂಗ್ ಅನುಭವ
3. 24 ಬ್ಲೇಡ್‌ಗಳು ಇರುವ ಯಂತ್ರ ಇದ್ದಾಗಿದೆ ಹಾಗೂ ಸುಲಭದ ಕೊಯ್ಲು
4. ಕೊಯ್ಲು-ಪ್ರತಿ ಘಂಟೆಗೆ 70ಟನ್
5. ಜಾಹಿಂಗ್ ಗಾತ್ರಗಳು-2mm-36mm
6. ಕುಯ್ಯುವ ಪ್ರದೇಶ-2mtr
7. ಫೀಡಿಂಗ್ ಬಾಕ್ಸ್‌ಗಳು-4 ಡ್ರಮ್‌ಗಳು
8. ಬೇಕಾಗಿರುವ ಟ್ರಾಕ್ಟರ್ ಕೆಪಾಸಿಟಿ-80HP+

ಯಂತ್ರದ ವೈಶಿಷ್ಟ್ಯಗಳು:

1. ಬ್ರಿಜಲನ ತಂತ್ರಜ್ಞಾನ ಹಾಗೂ ಯು.ವಿ. ಪ್ರೊಟೆಕ್ಷನ್‌ನೊಂದಿಗೆ ಪಾಲಿಟ್ರಿನ್ ಮೆಟಿರಿಯಲ್ ಹೊಂದಿದೆ
2. 30% ಹೆಚ್ಚುವರಿ ಹಾಲಿನ ಇಳುವರಿ
3. 500ಕೆ.ಜಿ ಬ್ಯಾಚ್ ಕೇವಲ 15 ನಿಮಿಷದಲ್ಲಿ ರೆಡಿ
4. ವಿದ್ಯುತ್ ಬಳಕೆಯು 50% ಕಡಿಮೆ ಮಾಡುವುದು



JF MILL 10D



Feed mixture

ಯಂತ್ರದ ವೈಶಿಷ್ಟ್ಯಗಳು:

1. 3 ಇನ್ 1 ಯಂತ್ರವಾಗಿದೆ.
2. ಎಲ್ಲಾ ಪ್ರಾಣಿಗಳಿಗೂ ಸುಲಭ ಆಹಾರ ಈ ಮಿಲ್ ಗ್ರೈಂಡರ್‌ನಿಂದ
3. ಒಣ ಜೋಳ, ಯಾವುದೇ ಕಾಳು, ಎಲ್ಲವನ್ನೂ ಗ್ರೈಂಡ್ ಮಾಡುತ್ತದೆ.
4. ಬಳಕೆ ತುಂಬಾ ಸುಲಭವಾಗಿದೆ.



40-50-60 Maxxium



Stationary Machines Precision Forage Chopper



High productivity and durability!



FACTORY ITAPIRA, SP



FROM BRAZIL TO ALL CONTINENTS OVER 50 COUNTRIES



FACTORY SÃO JOÃO DA BOA VISTA, SP

Stationary Machines Line – Fodder Processors
JF, the solution for the farmer!



STATIONARY MACHINES LINE



JF Precision Forage Choppers were designed specially for the most demanding farmers that need to become more technical and improve the quality of feeding of their livestock. They deliver superior productivity, a precise and unique transmission system and excellent chop quality resulting from perfect synchronization of the feeding drums.

Its powerful rotor with 4 knives chops grass, sugar cane, sunflower, maize, sorghum and other forage, with precision and excellent distribution of particle sizes. They are technically recommended for silage making and are ideal for fresh cut feeding also.

Several options of capacity and versions allow the farmer to choose which one meets best his needs to produce a quality feed with low operating cost.

JF 60 MAXXIUM
BASE FOR WAGON



JF 50 MAXXIUM WITH
STAND




JF 60 MAXXIUM
3-POINT FOR TRACTOR



JF 60 MAXXIUM
BASE FOR DIESEL
ENGINE



JF 40 MAXXIUM
FOR ELECTRIC
MOTOR



VERSIONS	JF 40 MAXXIUM	JF 50 MAXXIUM	JF 60 MAXXIUM
Base for electric motor	✓	✓	✓
Base for diesel engine	✓	✓	✓
3 point linkage for tractor	✓	✓	✓
Pull type with wheels for tractor	✓	✓	✓
Base for wagon		✓	✓

TECHNICAL FEATURES	JF 40 MAXXIUM	JF 50 MAXXIUM	JF 60 MAXXIUM
Productivity ¹	2000 to 7000 kg/h	2000 to 9000 kg/h	5000 to 16500 kg/h
Cut sizes	5 and 13		
Number of blades	4		
Required electric motor power	7,5 to 10 hp	10 to 15 hp	20 to 35 hp
Required revolution ²	1400 to 1600 RPM		

Motors are optional and sold separately.

¹Productivity may vary according to factors like chop size, massa per hectare, transport availability, and tractor power. For stationay machines, productivity may vary according to workforce availability, feeding rate, motor power and product quality.

²Rotor RPM varies according to motor power used.

Advantages

- Chop size changing by lever. The only one in market able to change chop size with the machining running in low rotation. Easy and quick handling;
- Transmission and particle size control systems are strong, simple and synchronized. Drive from cut size gearbox to feeding drums are made by cardan shafts and gears which ensure a precise and well distributed chopping;
- Exclusive drive transmission system for all models PTO driven version, resulting in higher efficiency and higher output;
- High resistance machine because of heavy duty rotor with 4 hardened steel blades and sealed cut size changing box;
- Excellent particle size quality with sizes 5mm and 13mm which results in a better quality of fodder for the animal. to easy digestive.





Corn Cracking at 5mm
(Higher KPS)



GEARBOX

Cut size change can be done with the machine running in low rotation

Technical Description: Precision forage choppers with productive capacity according to the technical specifications table of this document, featuring feeding nozzle, rotary discharge chute, deflector, chop size selection gear box, transmission cardan shafts, helicoidal transmission gearbox, spring for feeding drums, crown and pinion housing, rack (stand) and rack with wheels, strong rotor with 4 knives for cutting grass, sugar cane, sunflower, maize, sorghum and others, knives built in special and hardened steel, counter-knife with 2 lives, lever for changing the chop size with machines running in low rotation, transmission by cardan shaft and gears. In order to know models and versions, required power and rotation please check the technical specifications table available in this document.



Authorised Importer & Distributer for India :

BASANT PRODUCTS (INDIA)

C-46, Foundry Nagar, Hathras Road, Agra (U.P.) -282006

0562-2240765

Call us at :

9068809488, 9068388488

Email: info@vidhataindia.com visit us : www.characutter.in

Corporate Website : www.vidhataindia.com

Watch Us On
You Tube

<https://www.youtube.com/vidhataindia>

visit us : www.characutter.in

IMPACT TECHNOLOGIES

724, EWS, IInd Stage

13th 'B' Main, Yelahanka,

Bangalore - 560 064

Phone : 080-28562250